



SILVERSTONE[®]
Designing Inspiration

KUBLAI SERIES

A remarkable and clever Micro-ATX tower chassis

Special Features

- Up to eight 2.5" drives and one 3.5" drive capacity
- Innovative drive cage design enables support for front and rear AIO liquid coolers
- Modular design with removable drive cage, motherboard tray, and top panel
- Includes two quiet 120mm fans
- Convenient externally removable fan filters
- Independent power supply intake vents



HEADQUARTERS

12F.,NO.168,Jiankang Rd., Zhonghe Dist.,
New Taipei City 235, Taiwan R.O.C.
Tel: +886-2-8228-1238
Fax: +886-2-8228-7123

USA

13626 Monte Vista Ave.Unit A, Chino,
CA 91710, USA
Tel: +1-909-465-9596
Fax: +1-909-465-9596

EUROPE

Brandstücken 43, D-22549 Hamburg
Germany
Tel: +49-40-675931-0
Fax: +49-40-675931-66

Model No.: SST-KL06B

www.silverstonetek.com

Introduction

Being the first Micro-ATX chassis in the Kublai series, a line of cases famed for layout efficiency with classic styling, the KL06 fills the role perfectly. Equipped with dual 120mm quiet fans for cooling multiple drives and high-end components, it retains SilverStone's signature positive pressure design for effective dust prevention. With an internal body structure based on the benchmark Temjin TJ08-E and Precision PS07, the KL06 was designed to meet current and future demands with unique features. These include accommodation for 13.5 inch long graphics cards and simultaneous front/rear all-in-one liquid cooler support without drive cage removal. For more convenient access during assembly and for advanced enthusiasts, the KL06 has removable drive cage, motherboard tray, and top panel plus provision for custom liquid cooling pump. Maintenance is remarkably easy thanks to externally accessible filters on the front panel and independent power supply vent. Finally for storage expansion, the KL06 has a forward-thinking layout that focuses on 2.5" drives with a total of eight bays that include tool-less cage and a special bracket from RAVEN RV02 for showing off installed SSD on its side. For those looking for an expertly designed Micro-ATX case built for the future and designed to beautifully complement any computing environment, the SilverStone Kublai KL06 is as clever of a choice as it gets.

Feature Photos



Up to eight 2.5" drives and one 3.5" drive capacity



Innovative drive cage design enables support for front and rear AIO liquid coolers



Modular design with removable drive cage, motherboard tray, and top panel



Includes two quiet 120mm fans



Convenient externally removable fan filters




Independent power supply intake vents

Specifications

Model	SST-KL06B (black) SST-KL06B-W (black + window)	Expansion Slot	4
Material	Plastic front panel with steel mesh, steel body	Front I/O Port	USB 3.0 x 2, Audio x 1, MIC x 1
Motherboard	Micro ATX, Mini-DTX, Mini-ITX Exposed	Power Supply	Optional PS2 (ATX)
Drive Bay	Exposed 5.25" x 2 Internal 3.5" x 1, 2.5" x 8	Expansion Card	Compatible up to 13.5" in length, width restriction – 6.99"
Cooling System	Front 120mm intake fan x 2, 1200rpm, 20dBA Rear 120mm fan slot x 1	Limitation of CPU cooler	165mm
		Limitation of PSU	180mm*
		Dimension	211mm (W) x 375mm (H) x 405mm (D)

* Power supply and optical drive's combined allowable total length is 399mm including connectors, which may take up additional 20mm. We suggest maximum length for PSU at 180mm (ST1200-G).

- 1 Special bracket for showing off installed SSD
- 2 Two quiet 120mm front fans included
- 3 Innovative drive cage design enables support for front and rear AIO liquid coolers
- 4 Removable and tool-less 2.5" hard drive cage for up to six drives
- 5 Easy-access front intake fan filter
- 6 Independent power supply compartment
- 7 Removable motherboard tray Micro-ATX motherboards
- 8 Rear 120mm fan slot
- 9 Oversized motherboard tray cut-out for CPU cooler backplates
- 10 Magnetic fan filter for power supply intake area
- 11 Combo drive cage fits a 3.5" drive and a 2.5" drive/SSD



Recommendations



TD02-E/TD03-E

Patented brazing fins radiator increase cooling efficiency by 40%



AR03

Advanced heatsink with Heat-pipe Direct Contact (HDC) technology



CP06-E

Super flexible multi-SATA power connectors with capacitors



ST-1500GS

World's smallest, full-modular ATX power supplies



FQ122

120mm ultra-quiet PWM fan



FP56

Multifunction card reader with USB 3.0 and high speed charging port